

# Contents of Volume 33, 1998

- Abe J → Kanazawa A  
 Ahne F → Jha B  
 Allen JF → Escobar Galvis ML  
 Alziari S → Petit N  
 Amaar YG, Moore MM: Mapping of the nitrate-assimilation gene cluster (*crnA-niiA-niaD*) and characterization of the nitrite reductase gene (*niiA*) in the opportunistic fungal pathogen *Aspergillus fumigatus* 206  
 Araya A → Bégu D
- Bailey AM → Muñoz CI  
 Barredo JL → Díez B  
 Baxter BK, Craig EA: Isolation of *UBP3*, encoding a de-ubiquitinating enzyme, as a multicopy suppressor of a heat-shock mutant strain of *S. cerevisiae* 412  
 Bégu D, Mercado A, Farré J-C, Moenne A, Holuigue L, Araya A, Jordana X: Editing status of *mat-r* transcripts in mitochondria from two plant species: C-to-U changes occur in putative functional RT and maturase domains 420  
 Bell M → Hoyer LL  
 Benvenisty N → Schuldiner O  
 Bhattacharjee JK → Suvarna K  
 Bhattacharjee V → Suvarna K  
 Birch PRJ: Targeted differential display of abundantly expressed sequences from the basidiomycete *Phanerochaete chrysosporium* which contain regions coding for fungal cellulose-binding domains 70  
 Blackburn EH → Cohn M  
 Bohn C → Francisci S  
 Bolotin-Fukuhara M → Francisci S  
 Brakhage AA → Weidner G  
 Brendel M, Grey M, Maris AF, Hietkamp J, Fesus Z, Pich CT, Dafré L, Schmidt M, Eckardt-Schupp F, Henriques JAP: Low glutathione pools in the original *psa3* mutant of *Saccharomyces cerevisiae* are responsible for its pleiotropic sensitivity phenotype 4  
 Cardazzo B, Minuzzo S, Sartori G, Grapputo A, Carignani G: Evolution of mitochondrial DNA in yeast: gene order and structural organization of the mitochondrial genome of *Saccharomyces uvarum* 52  
 Carignani G → Cardazzo B  
 Cerdán E → Rodríguez-Belmonte E  
 Chabane S, Gachet E, Képès F: Over-expression of the yeast *BFR2* gene partially suppresses the growth defects induced by Brefeldin A and by four ER-to-Golgi mutations 21  
 Chattoo BB → Hamsa PV  
 Chen W → Pring DR  
 Chen XJ → Hansbro PM  
 Chow BL → Xiao W  
 Clark-Walker GD → Hansbro PM  
 Cohn M, McEachern MJ, Blackburn EH: Telomeric sequence diversity within the genus *Saccharomyces* 83  
 Collados A → Díez B  
 Cooke M → O'Sullivan D  
 Coquejo de Souza C, Pellizzon CH, Hirai-shi M, Goldman MHS, Goldman GH: Isolation and characterisation of cycloheximide-sensitive mutants of *Aspergillus nidulans* 60  
 Coulter KR, Marzluf GA: Functional analysis of different regions of the positive-acting CYS3 regulatory protein of *Neurospora crassa* 395  
 Covert SF: Supernumerary chromosomes in filamentous fungi 311  
 Covert SF → VanEtten H  
 Craig EA → Baxter BK  
 Creusot F → O'Sullivan D
- Dafré L → Brendel M  
 Debise R → Petit N  
 d'Enfert C → Weidner G  
 DePriest PT → Stenroos S  
 DeWaard MA → Engels AJG  
 Díez B, Schleissner C, Moreno MA, Rodríguez M, Collados A, Barredo JL: The manganese superoxide dismutase from the penicillin producer *Penicillium chrysogenum* 387  
 Dron M → O'Sullivan D
- Eckardt-Schupp F → Brendel M  
 Eckardt-Schupp F → Jha B  
 Edenharter L → Niederberger C  
 Endo M → Hashida-Okado T  
 Engels AJG, Holub EF, Swart K, DeWaard MA: Genetic analysis of resistance to fenpropimorph in *Aspergillus niger* 145  
 Enkerli J → VanEtten H  
 Escobar Galvis ML, Allen JF, Håkansson G: Protein synthesis by isolated pea mitochondria is dependent on the activity of respiratory complex II 320
- Fankhauser H → Niederberger C  
 Farré J-C → Bégu D  
 Ferenczy L → Tóth B  
 Fesus Z → Brendel M  
 Francisci S, Bohn C, Frontali L, Bolotin-Fukuhara M: Ts mutations in mitochondrial tRNA genes: characterization and effects of two point mutations in the mitochondrial gene for tRNA<sup>phe</sup> in *Saccharomyces cerevisiae* 110  
 Frontali L → Francisci S  
 Fujita M, Yamamoto M: *S. pombe* *sck2<sup>+</sup>*, a second homologue of *S. cerevisiae* *SCH9* in fission yeast, encodes a putative protein kinase closely related to PKA in function 248
- Gachet E → Chabane S  
 Gancedo JM → Mesquita JF de  
 Garthwaite I → Young C  
 Gaudet DA, Gusse J, Laroche A: Origins and inheritance of chromosome-length polymorphisms in the barley covered smut fungus, *Ustilago hordei* 216
- Goldman GH → Coquejo de Souza C  
 Goldman MHS → Coquejo de Souza C  
 Goller SP, Gorfer M, Kubicek CP: *Trichoderma reesei* *prs12* encodes a stress- and unfolded-protein-response-inducible regulatory subunit of the fungal 26S proteasome 284  
 Gonzales CM → Shammatt IM  
 González-Siso I → Rodríguez-Belmonte E  
 Gorfer M → Goller SP  
 Grapputo A → Cardazzo B  
 Gräub R → Niederberger C  
 Grey M → Brendel M  
 Gusse J → Gaudet DA
- Håkansson G → Escobar Galvis ML  
 Hamari Z → Tóth B  
 Hamsa PV, Kachroo P, Chattoo BB: Production and secretion of biologically active human epidermal growth factor in *Yarrowia lipolytica* 231  
 Hansbro PM, Chen XJ, Clark-Walker GD: Allele-specific expression of the Mgi<sup>-</sup> phenotype on disruption of the F<sub>1</sub>-ATPase delta-subunit gene in *Kluyveromyces lactis* 46  
 Harashima S → Mizuno T  
 Hašek J → Kovarik P  
 Hashida-Okado T, Yasumoto R, Endo M, Takesako K, Kato I: Isolation and characterization of the aureobasidin A-resistant gene, *aur1<sup>R</sup>*, on *Schizosaccharomyces pombe*: roles of *Aur1p<sup>+</sup>* in cell morphogenesis 38  
 Hatakeyama S, Ito Y, Shimane A, Ishii C, Inoue H: Cloning and characterization of the yeast *RAD1* homolog gene (*mus-38*) from *Neurospora crassa*: evidence for involvement in nucleotide excision repair 276  
 Henriques JAP → Brendel M  
 Hietkamp J → Brendel M  
 Hirai A → Kanazawa A  
 Hiraishi M → Coquejo de Souza C  
 Holländer V, Kück U: Splicing of the mitochondrial group-II intron r11: conserved intron-exon interactions diminish splicing efficiency 117  
 Holmberg S → Regenber B  
 Holub EF → Engels AJG  
 Holuigue L → Bégu D  
 Howad W → Pring DR  
 Hoyer LL, Payne TL, Bell M, Myers AM, Scherer S: *Candida albicans* *ALS3* and insights into the nature of the ALS gene family 451
- Inoue H → Hatakeyama S  
 Ishii C → Hatakeyama S  
 Ito Y → Hatakeyama S  
 Itoh R, Toda K, Takahashi H, Takano H, Kuroiwa T: Delta-9 fatty acid desaturase gene containing a carboxyl-terminal cytochrome b5 domain from the red alga *Cyanidioschyzon merolae* 165  
 Itoh Y → Young C

- Iwamoto M, Pi M, Kurihara M, Morio T, Tanaka Y: A ribosomal protein gene cluster is encoded in the mitochondrial DNA of *Dictyostelium discoideum*: UGA termination codons and similarity of gene order to *Acanthamoeba castellanii* 304
- Jha B, Ahne F, Kistler M, Klaus C, Eckardt-Schupp F: A rapid method to monitor repair and mis-repair of DNA double-strand breaks by using cell extracts of the yeast *Saccharomyces cerevisiae* 1
- Johnson R → Young C
- Jones EP → Nakagawa CC
- Jordana X → Bégu D
- Jorgensen S → VanEtten H
- Kachroo P → Hamsa PV
- Kanazawa A, Tozuka A, Kato S, Mikami T, Abe J, Shimamoto Y: Small interspersed sequences that serve as recombination sites at the *cox2* and *atp6* loci in the mitochondrial genome of soybean are widely distributed in higher plants 188
- Kanazawa A, Tsutsumi N, Hirai A: Differential changes in copy numbers of rice mitochondrial plasmid-like DNAs and main mitochondrial genomic DNAs that depend on temperature 437
- Kaneko Y → Ryu S-L
- Kato I → Hashida-Okado T
- Kato S → Kanazawa A
- Kempken F → Pring DR
- Képès F → Chabane S
- Kevei F → Tóth B
- Kiel JAKW → van der Giezen M
- Kielland-Brandt MC → Regenberg B
- Kiss L, Nakasone KK: Ribosomal DNA internal transcribed spacer sequences do not support the species status of *Ampelomyces quisqualis*, a hyperparasite of powdery mildew fungi 362
- Kistler M → Jha B
- Kitamura K → Maekawa H
- Klaus C → Jha B
- Koch A → Weidner G
- Kovarik P, Hasek J, Valášek L, Ruis H: *RPG1*: an essential gene of *Saccharomyces cerevisiae* encoding a 110-kDa protein required for passage through the G<sub>1</sub> phase 100
- Kruszewska JS, Saloheimo M, Penttilä M, Palamarczyk G: Isolation of a *Trichoderma reesei* cDNA encoding GTP:  $\alpha$ -D-mannose-1-phosphate guanylyltransferase involved in early steps of protein glycosylation 445
- Kubicek CP → Goller SP
- Kück U → Holländer V
- Kunoh T → Mizuno T
- Kunze G → Rösel H
- Kurihara M → Iwamoto M
- Kuroiwa T → Itoh R
- Langin T → O'Sullivan D
- Laroche A → Gaudet DA
- Lécher P → Petit N
- Maekawa H, Kitamura K, Shimoda C: The Ste16 WD-repeat protein regulates cell-cycle progression under starvation through the Rum1 protein in *Schizosaccharomyces pombe* 29
- Maliga P → Silhavy D
- Maris AF → Brendel M
- Marzluf GA → Coulter KR
- McCafferty HRK, Talbot NJ: Identification of three ubiquitin genes of the rice blast fungus *Magnaporthe grisea*, one of which is highly expressed during initial stages of plant colonisation 352
- McEachern MJ → Cohn M
- Mercado A → Bégu D
- Mesquita JF de, Zaragoza O, Gancedo JM: Functional analysis of upstream activating elements in the promoter of the *FBP1* gene from *Saccharomyces cerevisiae* 406
- Mikami T → Kanazawa A
- Miles CO → Young C
- Miller DL → Nakagawa CC
- Minuzzo S → Cardazzo B
- Mizuno T, Nakazawa N, Remgsamrarn P, Kunoh T, Oshima Y, Harashima S: The Tup1-Ssn6 general repressor is involved in repression of *IME1* encoding a transcriptional activator of meiosis in *Saccharomyces cerevisiae* 239
- Moenne A → Bégu D
- Mol PC → Weidner G
- Moore MM → Amaar YG
- Morel F → Petit N
- Moreno MA → Díez B
- Morio T → Iwamoto M
- Munday-Finch SC → Young C
- Muñoz CI, Bailey AM: A cutinase-encoding gene from *Phytophthora capsici* isolated by differential-display RT-PCR 225
- Murooka Y → Ryu S-L
- Myers AM → Hoyer LL
- Nakagawa CC, Jones EP, Miller DL: Mitochondrial DNA rearrangements associated with mF plasmid integration and plasmid longevity in *Physarum polycephalum* 178
- Nakasone KK → Kiss L
- Nakazawa N → Mizuno T
- Niederberger C, Gräub R, Schweingruber A-M, Fankhauser H, Rusu M, Poitelea M, Edenharter L, Schweingruber ME: Exogenous inositol and genes responsible for inositol transport are required for mating and sporulation in *Schizosaccharomyces pombe* 255
- Olsen LD → Regenberg B
- Oshima Y → Mizuno T
- O'Sullivan D, Tosi P, Creusot F, Cooke M, Phan T-H, Dron M, Langin T: Variation in genome organization of the plant pathogenic fungus *Colletotrichum lindemuthianum* 291
- Palamarczyk G → Kruszewska JS
- Paszewski A → Sieńko M
- Payne TL → Hoyer LL
- Pellizzon CH → Coquejo de Souza C
- Penttilä M → Kruszewska JS
- Petit N, Touraille S, Debise R, Morel F, Renoux M, Lécher P, Alziari S: Developmental changes in heteroplasmy level and mitochondrial gene expression in a *Drosophila subobscura* mitochondrial deletion mutant 330
- Phan T-H → O'Sullivan D
- Pi M → Iwamoto M
- Pich CT → Brendel M
- Poitelea M → Niederberger C
- Pretorius IS → Vivier MA
- Pring DR, Chen W, Tang HV, Howad W, Kempken F: Interaction of mitochondrial RNA editing and nucleolytic processing in the restoration of male fertility in sorghum 429
- Prins RA → van der Giezen M
- Regenberg B, Holmberg S, Olsen LD, Kielland-Brandt MC: Dip5p mediates high-affinity and high-capacity transport of L-glutamate and L-aspartate in *Saccharomyces cerevisiae* 171
- Remgsamrarn P → Mizuno T
- Renoux M → Petit N
- Rodríguez-Belmonte E, González-Siso I, Cerdán E: The *Kluyveromyces lactis* gene *KIGSK-3* combines functions which in *Saccharomyces cerevisiae* are performed by *MCK1* and *MSD1* 262
- Rodríguez M → Díez B
- Rösel H, Kunze G: Integrative transformation of the dimorphic yeast *Arxula adenivorans* LS3 based on hygromycin B resistance 157
- Ruis H → Kovarik P
- Rusu M → Niederberger C
- Ryu S-L, Murooka Y, Kaneko Y: Reciprocal translocation at duplicated *RPL2* loci might cause speciation of *Saccharomyces bayanus* and *Saccharomyces cerevisiae* 345
- Saloheimo M → Kruszewska JS
- Sartori G → Cardazzo B
- Scherer S → Hoyer LL
- Schleissner C → Díez B
- Schmidt M → Brendel M
- Schuldiner O, Yanover C, Benvenisty N: Computer analysis of the entire budding yeast genome for putative targets of the GCN4 transcription factor 16
- Schuren FHJ, Wessels JGH: Expression of heterologous genes in *Schizophyllum commune* is often hampered by the formation of truncated transcripts 151
- Schweingruber A-M → Niederberger C
- Schweingruber ME → Niederberger C
- Scott B → Young C
- Seah L → Suvarna K
- Shammat IM, Gonzales CM, Welker DL: *Dictyostelium discoideum* nuclear plasmid Ddp6 is a new member of the Ddp2 plasmid family 77
- Shimamoto Y → Kanazawa A
- Shimane A → Hatakeyama S
- Shimoda C → Maekawa H
- Sieńko M, Topczewski J, Paszewski A: Structure and regulation of *cysD*, the homocysteine synthase gene of *Aspergillus nidulans* 136
- Silhavy D, Maliga P: Mapping of promoters for the nucleus-encoded plastid RNA polymerase (NEP) in the *iojap* maize mutant 340

- Sjollem KA → van der Giezen M  
 Stenroos S, DePriest PT: Small insertions at a shared position in the SSU rDNA of Lecanorales (lichen-forming Ascomycetes) 124  
 Suvarna K, Seah L, Bhattacharjee V, Bhattacharjee JK: Molecular analysis of the *LYS2* gene of *Candida albicans*: homology to peptide antibiotic synthetases and the regulation of the  $\alpha$ -aminoadipate reductase 268  
 Swart K → Engels AJG  
 Takahashi H → Itoh R  
 Takano H → Itoh R  
 Takesako K → Hashida-Okado T  
 Talbot NJ → McCafferty HRK  
 Tanaka Y → Iwamoto M  
 Tang HV → Pring DR  
 Toda K → Itoh R  
 Topczewski J → Sieriko M  
 Tosi P → O'Sullivan D  
 Tóth B, Hamari Z, Ferenczy L, Varga J, Kevei F: Recombination of mitochondrial DNA without selection pressure among compatible strains of the *Aspergillus niger* species aggregate 199  
 Touraille S → Petit N  
 Tozuka A → Kanazawa A  
 Tsutsumi N → Kanazawa A  
 Valášek L → Kovarik P  
 van der Giezen M, Kiel JAKW, Sjollem KA, Prins RA: The hydrogenosomal malic enzyme from the anaerobic fungus *Neocallimastix frontalis* is targeted to mitochondria of the methylotrophic yeast *Hansenula polymorpha* 131  
 VanEtten H, Jorgensen S, Enkerli J, Covert SF: Inducing the loss of conditionally dispensable chromosomes in *Nectria haematococca* during vegetative growth 299  
 Varga J → Tóth B  
 Vivier MA, Pretorius IS: Identification of a functional TATA element in the *STA2* glucoamylase gene promoter from *Saccharomyces cerevisiae* 10  
 Weidner G, d'Enfert C, Koch A, Mol PC, Brakhage AA: Development of a homologous transformation system for the human pathogenic fungus *Aspergillus fumigatus* based on the *pyrG* gene encoding orotidine 5'-monophosphate decarboxy 378  
 Welker DL → Shammat IM  
 Wessels JGH → Schuren FHJ  
 Xiao W, Chow BL: Synergism between yeast nucleotide and base excision repair pathways in the protection against DNA methylation damage 92  
 Yamamoto M → Fujita M  
 Yanover C → Schuldiner O  
 Yasumoto R → Hashida-Okado T  
 Young C, Itoh Y, Johnson R, Garthwaite I, Miles CO, Munday-Finch SC, Scott B: Paxilline-negative mutants of *Penicillium paxilli* generated by heterologous and homologous plasmid integration 368  
 Zaragoza O → Mesquita JF de  
 Indexed in *Current Contents*  
 Index Medicus and EMBASE



